

BrightSign®

BRIGHTAUTHOR RELEASE NOTES

Version 4.1.0.9

BrightAuthor Requirements

- PC with Windows Vista or Windows 7, plus Microsoft .Net Framework 4.0 or later
- BrightSign 4Kx42, XDx32, XDx30, HDx20, LSx22, AU320

Minimum Firmware Required: 5.1.33

- BrightSign HDx22

Minimum Firmware Required: 5.1.16

Help and Feedback

If you would like to learn more about the new BrightAuthor features described below, please download the [User Guide](#). If you are new to BrightAuthor, you can also visit the [Tutorial Videos](#) page. If you have any questions, please contact us at support@brightsign.biz.

Changes Since 4.1.0.8

Bug Fixes

- Publishing a presentation and firmware update to a BrightSign Network group containing a presentation from an older version of BrightAuthor no longer causes an error message stating that “units assigned to this group have firmware that is below the minimum firmware revision required”.

- Attempting to specify a command no longer crashes BrightAuthor when the Windows localization settings specifies commas (“,”) in place of decimals (“.”).
- Importing a presentation that contains Play File playlist items no longer causes BrightAuthor to crash.
- Attempting to add .ts files with certain formatting parameters no longer causes BrightAuthor to crash.

Improvements

- The **Live Media Feed** dropdown list (in **File > Presentation Properties > Data Feeds > Add Data Feed**) is now populated with Live Media feeds from your BrightSign Network account.
- The **Screen resolution** dropdown list now includes all possible video resolutions for the XDx32 and Hx22 models.